

Chapter 12

The Meditative Brain - Archaea Induced Stem
Cell Syndrome and Androgynous Creative
Matriarchal Cannibalistic Capitalistic State

Introduction

Meditation can modulate body metabolonomics and brain function. The mechanism is by induction of the heme oxygenase system. Meditation induced heme oxygenase which converts heme to carbon monoxide and bilirubin. Bilirubin and biliverdin are free radical scavengers and mops up free radicals. Free radicals are required for the function of the NMDA dependent thalamo-cortico-thalamic feedback reverberatory circuit crucial in consciousness. This circuit mediates working memory and focused attention. Free radicals also activate NMDA and by its capacity of diffusing freely through the brain systems can induce NMDA activity, synchronized burst firing of neurons in different parts of sensory areas producing perceptual synchronization. This mediates consciousness. Thus the scavenging of free radicals by heme oxygenase leads to suppression of consciousness and meditative trances. Heme oxygenase induction suppresses ALA synthase. Thus heme is depleted from the system. There is increased porphyrin synthesis leading onto porphyrinuria and porphyria. The stimulus for porphyrin synthesis comes from heme deficiency. Porphyrins can organize into self replicating supramolecular structures called porphyrions which are induced by meditative practices. The porphyrins can self organize to form macromolecular structures which can self replicate to form a porphyrin organism. The photon induced transfer of electrons along the macromolecule can lead to light induced ATP synthesis. The porphyrins can form a template on which RNA and DNA can form generating viroids. The porphyrins can also form a template on which prions can form. They all can join together - RNA viroids, DNA viroids, prions - to form primitive archaea. Thus the archaea are capable of self replication on porphyrin templates. The self replicating archaea can sense gravity which gives rise to consciousness. They can also sense the anti-gravity fields which

gives rise to the unconscious brain. Thus there can be both self replicating archaea and anti-archaea regulating the conscious and unconscious brain. Thus the climate change stress mediated increased porphyrin synthesis leads to prefrontal cortex atrophy, cerebellar dominance, cerebellar cognitive affective disorder, quantal perception and Neanderthalisation of the population. The porphyrions are self replicating supramolecular organisms which forms the precursor template on which the viroids, prions and nanoarchaea originate. Meditative stress induced template directed abiogenesis of porphyrions, prions, viroids and archaea is a continuous process and can contribute to changes in brain structure and behavior as well as disease process.

The global warming produces extremes of temperature and accumulation of atmospheric carbon dioxide resulting in growth of symbiotic extremophiles like archaea. Archaea can induce dedifferentiation of somatic cells to stem cells. This involves the process of reverse aging. The differentiated somatic cells lose their function as they become stem cells. The archaeal magnetite induces quantal extrasensory perception of low level of EMF as the somatic neuronal cells lose their function. This results in low level of EMF effect on the brain producing cortical atrophy especially the prefrontal cortex. The primitive parts of the brain dominate with cerebellum and brain stem undergoing hypertrophy. The atrophy of the cortex results in behavioural changes. The cortex has different hemispheric dominance in males and females. The right hemisphere is a creative hemisphere and is male. The left hemisphere is the practical hemisphere and is female. When the cortex atrophies the hemispheric differentiation and the effect on behavior is obliterated. The cortical effect on male and female behavior is lost. Behaviour becomes uniform and single and is dominated by the primitive brain stem and cerebellar cortex. It results in impulsive behavior dominated by the will to power and individuality. This forms the basis of the androgynous state and alternate forms of sexuality. This

hypothesis was studied in this paper by checking the archaeal growth in population with alternate sexual traits.¹⁻¹⁷

Materials and Methods

The blood samples were drawn from 15 normal individuals undergoing meditative practices and normal individuals with alternate sexual traits. The cytochrome F420 activity was studied. The estimations done in the blood samples collected blood lactate, pyruvate, hexokinase, cytochrome C, digoxin, bile acids, butyrate and propionate were estimated.

Results

The results showed that the individuals with alternate sexual traits had increased archaeal symbiosis and increased cytochrome F420 activity. They also had increased blood lactate and pyruvate, increased RBC hexokinase, increased serum cytochrome C and serum cytochrome F420, increased serum digoxin, bile acids, butyrate and propionate. The serum cytochrome C levels in the blood were increased. This suggested mitochondrial dysfunction. There was an increased in glycolysis as suggested by increased RBC hexokinase activity and lactic acidosis. Owing to the mitochondrial dysfunction and pyruvate dehydrogenase inhibition there was pyruvate accumulation. The pyruvate was converted to lactate by the Cori cycle and also to glutamate and ammonia. This metabolism is suggestive of the Warburg phenotype and stem cell conversion. The stem cells depend on Warburg anaerobic glycolysis for energetics and have a mitochondrial dysfunction. The lysosomal enzyme beta galactosidase activity was increased in the disease group and in creative artists and criminals

suggesting stem cell conversion. This suggests that individuals with androgynous traits had stem cell metabolomics and stem cell conversion.

Table 1.

Group	Cytochrome F 420		Serum Cyto C (ng/ml)		Lactate (mg/dl)		Pyruvate (umol/l)		RBC Hexokinase (ug glu phos/hr/mgpro)	
	Mean	±SD	Mean	±SD	Mean	±SD	Mean	±SD	Mean	±SD
Normal population	1.00	0.00	2.79	0.28	7.38	0.31	40.51	1.42	1.66	0.45
Alternate sexual traits	4.00	0.00	12.39	1.23	25.99	8.10	100.51	12.32	5.46	2.83
Low level background radiation	4.00	0.00	12.26	1.00	23.31	1.46	103.28	11.47	7.58	3.09
Meditation	4.00	0.00	12.22	1.00	24.21	1.42	112.22	11.46	7.45	3.12
F value	0.001		445.772		162.945		154.701		18.187	
P value	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001	

Table 2.

Group	ACOA (mg/dl)		Glutamate (mg/dl)		Se. Ammonia (ug/dl)		RBC digoxin (ng/ml RBC Susp)		Beta galactosidase activity in serum (IU/ml)	
	Mean	±SD	Mean	±SD	Mean	±SD	Mean	±SD	Mean	±SD
Normal population	8.75	0.38	0.65	0.03	50.60	1.42	0.58	0.07	17.75	0.72
Alternate sexual traits	2.51	0.36	3.19	0.32	93.43	4.85	1.41	0.23	55.17	5.85
Low level background radiation	2.14	0.19	3.47	0.37	102.62	26.54	1.41	0.30	51.01	4.77
Meditation	2.12	0.18	3.89	0.32	112.58	24.32	1.46	0.32	54.11	4.32
F value	1871.04		200.702		61.645		60.288		194.418	
P value	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001	

Discussion

The cortical atrophy and cerebellar/brain stem dominance results in obliteration in hemispheric difference in sexual behavior. The right hemisphere

is creative and male in outlook while left hemisphere is practical and female in outlook. The primitive parts of the brain take over the function of regulating sexual behavior. The cerebellum plays an important role and this results in impulsive sexual traits. The difference between male and female sexual behaviours induced by cerebral cortical function is lost. The archaical cholesterol catabolism results in depletion of sex steroids and deficiency of testosterone and estrogens. The archaical induced conversion of ovarian and testicular cells into stem cells results in loss of function and decreased secretion of male and female hormones. Behaviour becomes unisexual. This becomes non-inhibitory and impulsive in nature. It transcends all taboos and has got a reflection in culture and society affecting all manners of social interaction. The predominant form of brain perception is extrasensory or quantal. The primitive human impulses become unleashed and this results in a flood of primitive behavioural traits with violent, aggressive and obscene traits in society. The increased incidence of violent sexual behavioural traits is related to the dominance of the primitive areas of the brain - the cerebellum and brain stem. The dress code of the society also changes and results in metrosexual and unisexual garments. The mode of grooming of male and female changes and both becomes equal and the same. This creates the metrosexual world.¹⁻¹⁷

The dominance of the primitive areas of the brain results in fear flight and fight response resulting in an epidemic of selfishness in society. Individualism takes over and there is no commitment to the society as such. Sexual behaviours were programmed for the benefit of the society so that the human population is replaced. The cortical atrophy and cerebellar dominance results in selfish sexual behavioural traits producing sexual behavior for individual pleasure and gratification in animalistic sense. This results in loss of family values and declining population as is seen in European countries. The cerebral cortical atrophy and dominance of cerebellum result in selfishness and individuality

contributing to an anarchic society. The cerebral cortical atrophy results from perception of low level of EMF resulting from increased archaeal magnetite as well as EMF pollution resulting from internet exposure. Society becomes globalized and anarchic fueled by the internet. This results in an acortical acephalic society with dominant primitive cerebellar function. There is no compassion, love, feeling of altruism or goodness. This is replaced by selfishness and individuality. The internet and social media becomes the common market place for interactions. The feeling of human touch and love is lost. Society becomes increasingly robotical and autistic. The realm of the senses takes over the kingdom of God. Everything becomes subsumed and sacrificed in the altar of selfishness, greed and pleasure. This produces an anarchic, unisexual and society of primitive impulses. The cortical atrophy and cerebellar dominance results in a play of primitive impulses resulting in violence and aggression. This results from a culture of selfishness. This produces terrorism and acts of war which are a form of transcendence. This also produces criminal behavior where individuality and selfishness dominates. Society becomes dominated by ritualized and in some cases obscene behavior.¹⁻¹⁷

The cortical atrophy and dominance of cerebellum result in loss of cortical neuronal function and increased extrasensory perception mediated by archaeal magnetite. This results in dominant spiritual behaviours where one comes into contact with the eternal and archetypes. This results in a literature of transcendence. This produces what is called as magic realism of writers like Gabriel Marquez. The literature explores the evil depths of the human soul. This results in a dominance of sexual, violent, obscene and evil in literature as seen in post modern literature. This has also a reflection in art of painting, dance and music. Painting, dance and music become surreal and the rationality of the cortex regulating it is lost. This results in psychedelic and rock music as well as the surrealistic abstract art of Picasso. Dance forms also take violent, obscene,

chaotic forms. This is art of the surrealistic acephalic irrational world in the realm of senses driven by obscenity. This type of art and literature correlates with the androgynous creativity.¹⁻¹⁷

The prefrontal cortical atrophy and cerebellar dominance is due to archaeal growth which results in stem cell conversion. The stem cell syndrome can produce a proliferation of systemic diseases. The neuronal stem cell conversion results in loss of neuronal function and dominant extrasensory archaeal magnetite mediated perception. This produces an epidemic of schizophrenia and autism. The stem cells have the Warburg phenotype with mitochondrial dysfunction and glycolytic energetics. This results in metabolic syndrome x. The stem cells can proliferate resulting in cancer syndromes. The lymphocytic stem cells proliferate producing an autoimmune disease. The neuronal stem cells transformation and loss of function can lead to degenerations. Thus the systemic somatic and neuropsychiatric diseases correlate with alternate sexual traits and stem cell transformation.¹⁻¹⁷

The archaeal symbiosis mediated brain changes producing cerebellar dominance and cortical atrophy results in an individualistic selfish society. This is the kernel of capitalistic growth and models which tend to fail because of the individualistic will to power and dominate at all cost. The society becomes more dictatorial and fascism and nazistic behavior takes over. There is individualistic trait of selfishness and a primitive impulse to follow the leader. The civil society which is just, good, equal, socialistic, democratic and fair generated by cortical impulses becomes dead. The society which is governed by cerebellar function and unisexual tendencies becomes more matriarchal as men and women tend to have similar traits. Women also tend to be as aggressive if not more than men. The cortical hemispheric control over social and individual behavior is lost. It becomes the primitive world of selfishness and individuality uninhibited by sexual mores.¹⁻¹⁷

The archaeal overgrowth and digoxin synthesis can modulate retroviral growth. Digoxin can modulate RNA editing and retroviral replication. Digoxin can also produce intracellular magnesium deficiency resulting in reverse transcriptase inhibition. Thus the archaeal induced stem cell syndrome is retroviral resistant. This results in changes in the human genome as such. HERV sequences in the human genome functions as jumping genes producing dynamicity and flexibility of the human genome. This is required for the changes in cortical synaptic connectivity, HLA gene flexibility and developmental changes. The archaeal induced stem cell syndrome produces a rigid adynamic genome not able to cope with the complexities of the cortical connectivity, HLA gene rearrangements for immune response and gene changes for complex development. This neanderthalisation of the human body due to archaeal symbiosis can spell the death of the human species. The new human species which may be transient consequent to archaeal symbiosis produced by extremophilic climatic changes consequent to global warming can be called the human homo neoneanderthalis. It is androgynous, creative, psychedelic, artistic, spiritual, aggressive, violent, selfish, impulsive, anarchic, chaotic and individualistic.¹⁻¹⁷

References

- [1] Weaver TD, Hublin JJ. Neandertal Birth Canal Shape and the Evolution of Human Childbirth. *Proc. Natl. Acad. Sci. USA* 2009; 106 :8151-8156.
- [2] Kurup RA, Kurup PA. Endosymbiotic Actinidic Archaeal Mediated Warburg Phenotype Mediates Human Disease State. *Advances in Natural Science* 2012; 5(1): 81-84.
- [3] Morgan E. The Neanderthal theory of autism, Asperger and ADHD 2007, www.rdos.net/eng/asperger.htm.
- [4] Graves P. New Models and Metaphors for the Neanderthal Debate. *Current Anthropology* 1991; 32(5): 513-541.

- [5] Sawyer GJ, Maley B. Neanderthal Reconstructed. *The Anatomical Record Part B: The New Anatomist* 2005; 283B(1): 23-31.
- [6] Bastir M, O'Higgins P, Rosas A. Facial Ontogeny in Neanderthals and Modern Humans. *Proc. Biol. Sci.* 2007; 274: 1125-1132.
- [7] Neubauer S, Gunz P, Hublin JJ. Endocranial Shape Changes during Growth in Chimpanzees and Humans: A Morphometric Analysis of Unique and Shared Aspects. *J. Hum. Evol.* 2010; 59: 555-566.
- [8] Courchesne E, Pierce K. Brain Overgrowth in Autism during a Critical Time in Development: Implications for Frontal Pyramidal Neuron and Interneuron Development and Connectivity. *Int. J. Dev. Neurosci.* 2005; 23: 153-170.
- [9] Green RE, Krause J, Briggs AW, Maricic T, Stenzel U, Kircher M, Patterson N, Li H, Zhai W, *et al.* A Draft Sequence of the Neandertal Genome. *Science* 2010; 328: 710-722.
- [10] Mithen SJ. *The Singing Neanderthals: The Origins of Music, Language, Mind and Body*; 2005, ISBN 0-297-64317-7.
- [11] Bruner E, Manzi G, Arsuaga JL. Encephalization and Allometric Trajectories in the Genus Homo: Evidence from the Neandertal and Modern Lineages. *Proc. Natl. Acad. Sci. USA* 2003; 100: 15335-15340.
- [12] Gooch S. *The Dream Culture of the Neanderthals: Guardians of the Ancient Wisdom*. Inner Traditions, Wildwood House, London; 2006.
- [13] Gooch S. *The Neanderthal Legacy: Reawakening Our Genetic and Cultural Origins*. Inner Traditions, Wildwood House, London; 2008.
- [14] Kurtén B. *Den Svarta Tigern*, ALBA Publishing, Stockholm, Sweden; 1978.
- [15] Spikins P. Autism, the Integrations of 'Difference' and the Origins of Modern Human Behaviour. *Cambridge Archaeological Journal* 2009; 19(2): 179-201.
- [16] Eswaran V, Harpending H, Rogers AR. Genomics Refutes an Exclusively African Origin of Humans. *Journal of Human Evolution* 2005; 49(1): 1-18.
- [17] Ramachandran V. S. *The Reith lectures*, BBC London. 2012.